

6th April 2010

Crystal Court, Aston Cross
Birmingham, B6 5RQ

Telephone: 0121 687 3400
Facsimile: 0121 687 3401
E-mail: office@pi.nhs.uk
Website: www.pi.nhs.uk

Director
Professor Jason O Gardosi MD FRCOG FRCSED

Direct Line: 0121 687 3500
E-mail: gardosi@pi.nhs.uk

To: Coventry PCT
University Hospital of Coventry & Warwickshire
NHS West Midlands

Dear Colleague,

This is the **third interim report of the IfH data collection programme**. We present results from Q3 as well as a totals for the first 3 quarters. KPI3, the indicator concerning detection of IUGR, is also included.

For **Coventry**, the key points are

- Improved ascertainment, but **data collection to date is insufficient to allow conclusive statements about KPIs 3 & 4;**
- achievement of early booking target;
- record keeping is often substandard, with frequent omissions of essential information.

Also included are a preliminary set of indicators from the WM dataset, with demographics and characteristics of pregnancies for Coventry. A detailed analysis will follow in the 12 month report, due June 2010.

With sincere regards

Professor Jason O. Gardosi
Director, Perinatal Institute

West Midlands Investing for Health - Perinatal Data Collection Project

Q3 Report (September – December 2009)

This is the third quarterly report on the regional perinatal data collection established under the WM Investing for Health Perinatal & Infant Mortality Programme (2c). In this interim report we present also totals for the first 3 quarters.

1. **Data quality:** Over the last few months, a team from the Perinatal Institute have been undertaking a case note audit in each unit to assess the accuracy of the process and validity of the data entered on the Institute's Perinatal Episode Electronic Record (PEER) . **The audit has demonstrated good overall accuracy.** Individual detailed reports are being sent to each maternity unit during April 2010.
2. However the same audit has shown **deficiencies in the quality of record keeping** in the maternity record. This can affect each of the indicators presented in this report. The importance of accurate recording is also being highlighted in each of the Confidential Enquiries into perinatal deaths we are currently reporting on. The SHA's IfH programme has commissioned PI to develop a quality assurance toolkit for maternity records.
3. Submission rates have improved significantly, but ascertainment is still only around 70% for the region. There are still staffing issues in relation to data clerks which we feed back on regularly, together with a fortnightly activity report on whether the submission targets are being achieved. **It is essential that data clerks are fully supported locally and their posts maintained through contract negotiations.**
4. The information collected is allowing us to develop a baseline for KPIs as well as demographics, characteristics of pregnancies and factors affecting outcome. At the end of this report, we are providing preliminary rates for the main data items being collected through the WM maternity dataset. **PEER has rapidly established itself as the largest uniform maternity data collection system in England,** and will be an important source of information about the quality of care, equity and causes of adverse outcome.
5. Since early this year, we have been running a series of workshops for representatives from PCTs and maternity units, and provided them with 'data wizards' which **facilitate direct access to their respective organisations' data collected on PEER.**
6. In the coming weeks, we are commencing **pilots for Digital Pens**, which will allow real time data collection and reporting. This will be particularly important for data items such as Early Booking rates, which we can currently only provide after delivery, i.e. 6 or more months in arrears. It will also provide snapshots of current caseloads and levels of maternal medical and social risk, to facilitate effective workforce planning.

The next report will be in June 2010 and will include 12 months of data together with a comprehensive subgroup analysis. In the meantime, the PI team will continue to respond to individual queries as best possible (for details on submitting data requests, see www.pi.nhs.uk/data)

PEER Team
Perinatal Institute

March 2010



Table 1: Data submitted from WM maternity units

Unit	WTE funded	WTE employed (Feb 2010)	Recruitment details	Q1			Q2			Q3			Comments
				Est. Births Q1	Submissions		Est. Births Q2	Submissions		Est. Births Q3	Submissions		
(n)	(%)	(n)	(%)	(n)	(%)	(n)	(%)	(n)	(%)	(n)	(%)	(n)	(%)
West Midlands	23.7	23.2		17973	7385	41%	18154	12769	70%	18229	12985	71%	
Walsgrave (UHCW)	1.8	1.8	1.8WTE commenced data collection 03/11/2009	1412	0	0%	1412	29	2%	1412	542	38%	Clerks commenced November - large backlog to address. Now making good progress

Q1 = Submission target

<60% 60-79% ≥80%

Project submission target

<80% 80-89% ≥90%

Submission rates are calculated as the number of cases submitted from each quarter, as a proportion of all births in that quarter (estimated on the basis of last available data from 2008).

Data received is dependant upon the completeness of notes recorded by care providers, and sustained capacity of data clerks ensured by Units and respective PCTs.

The PI are about to commence pilots of Digital Pens for community midwives to facilitate ascertainment of real-time data.

KPI 1a. Completed health & social assessment before 13 weeks

Target: 80%

< 60%	60-79%	≥ 80%
-------	--------	-------

www.pi.nhs.uk/rpnm/IHF_KPI_Evidence_Targets.pdf

	KPI 1a - Completed Assessment < 13 Weeks											
	Q1			Q2			Q3			Total / average over period Q1-Q3		
	Cases with required data	n	%	Cases with required data	n	%	Cases with required data	n	%	Cases with required data	n	%
West Midlands	6774	5052	74.6%	10875	8545	78.6%	11697	9592	82.0%	29346	23189	79.0%
PCTs												
Coventry Teaching	20	18	90.0%	50	45	90.0%	435	368	84.6%	505	431	85.3%
Units												
Walsgrave Hospital (UHCW)	0	0		25	21	84.0%	519	450	86.7%	544	471	86.6%

Percentages in grey represent small numbers (n <100) and should be interpreted with caution

Data quality

The gestation at booking is validated by dating scans. However, standards of record keeping, and in particular the record of completion of medical and social risk assessment, vary in quality, as demonstrated by our recent regional audit.

Performance & Progress

Unit has exceeded the 80% project target.

Additional comments

Further improvement is needed as the DH's aim is to increase the national target to 90% by end 2010/11.

Units offering a home booking service tend to have a higher attainment rate and a more comprehensive assessment of social needs.

A locality based community midwifery service model offers economies of scale and increased capacity in achieving this target.

The forthcoming annual report will contain analyses according to subgroups such as parity, maternal age and ethnic origin.

We will also be able to provide rates according to midwifery caseloads and how they relate to medical and social risk.

KPI 1b. Two antenatal contacts before 13 weeks

Target: 60%

< 40%	40-59%	≥ 60%
www.pi.nhs.uk/rpnm/lfH_KPI_Evidence_Targets.pdf		

	KPI 1b - Two antenatal contacts before 13 weeks								
	Q2			Q3			Total / average over period Q2-Q3		
	Cases with required data	n	%	Cases with required data	n	%	Cases with required data	n	%
West Midlands	11065	4548	41.1%	11843	5785	48.8%	22908	10333	45.1%
PCTs									
Coventry Teaching	51	21	41.2%	435	296	68.0%	486	317	65.2%
Units									
Walsgrave Hospital (UHCW)	26	18	69.2%	521	375	72.0%	547	393	71.8%

Percentages in grey represent small numbers (n <100) and should be interpreted with caution

Comment:

KPI 1b is added as a secondary indicator based on recommendation within NSF Standard 11 (collected since Q2).

It reflects practice in some units, however many do not have the capacity currently to fulfil this target.

Target has been exceeded in Coventry

KPI 2: Antenatal continuity of carer

Target: 75% of visits by the same midwife

< 40%	40-74%	> 75%
-------	--------	-------

www.pi.nhs.uk/rpnm/IfH_KPI_Evidence_Targets.pdf

	KPI 2 - Continuity of Carer (75% of visits by the same midwife)											
	Q1			Q2			Q3			Total / average over period Q2-Q3		
	Cases with required data	n	%	Cases with required data	n	%	Cases with required data	n	%	Cases with required data	n	%
West Midlands	7037	3020	42.9%	11317	4335	38.3%	11911	4425	37.2%	30265	11780	38.9%
PCTs												
Coventry Teaching	20	5	25.0%	52	24	46.2%	433	150	34.6%	505	179	35.4%
Units												
Walsgrave Hospital (UHCW)	0	0		27	10	37.0%	519	176	33.9%	546	186	34.1%

Percentages in grey represent small numbers (n <100) and should be interpreted with caution

Data quality

Ascertainment of this data item is sometimes difficult because of illegible signatures or care providers' names not being recorded.

Performance & Progress

Results show variation between units; commentary from midwives suggest that this target is particularly challenging due to limited capacity.

Additional comments

IfH Project Board have agreed to review this indicator upon completion of 12 months of data collection.

Dispersed service models of community maternity impact upon continuity. Commissioners and providers should consider a locality based service to increase economies of scale, reduce travel and permit greater cohesion of maternity care within the community.

KPI 3: Antenatal detection of fetal growth restriction

(FGR = fetal growth restriction; IUGR = intrauterine growth restriction; SGA = small for gestational age)

Target: increase by >10% per year

IfH 3-year project target: 60% detection

www.pi.nhs.uk/rpnm/IfH_KPI_Evidence_Targets.pdf

	KPI 3: Antenatal detection of fetal growth restriction												
	Q1-Q3												
	Cases with required data (Q1-Q3)	Births with FGR (birthweight <10th cust.centile)		Of all births with FGR, cases where SGA, FGR or IUGR was recorded in antenatal notes		Of births with FGR, cases with one or more EFW <10 cust. centile		Record of either SGA/FGR/IUGR in the notes, or: EFW <10th customised centile		Subgroup: of births with FGR, cases scanned following fundal height assessment		Of cases scanned following fundal height assessment, cases diagnosed as FGR	
	Total	n	%	n	%	n	%	n	%	n	%	n	%
West Midlands	28617	4048	14.1%	885	21.9%	1021	25.2%	1191	29.4%	1153	28.5%	714	61.9%
PCTs													
Coventry Teaching	476	63	13.2%	6	9.5%	14	22.2%	15	23.8%	13	20.6%	6	46.2%
Units													
Walsgrave Hospital (UHCW)	516	61	11.8%	3	4.9%	12	19.7%	12	19.7%	12	19.7%	3	25.0%

Percentages in grey represent small numbers (n <100) and should be interpreted with caution

Data quality

Because this indicator describes a subgroup (antenatal detection) of a subgroup (cases with FGR), we present combined data for Q1-3.

'Antenatal detection' is based on close scrutiny of case notes and growth charts. Case note audit of FGR cases has shown that ascertainment by data clerks is reliable.

However, clinicians' recording of detection of SGA / FGR / IUGR is often poor; therefore a recording of an EFW <10th centile was used as an additional indicator.

To give a further assessment, we also report on the number of cases where at least one EFW below the 10th centile was recorded.

NOTE: Insufficient data have been submitted to date to be able to analyse this KPI as yet.

Additional comments

More detailed analysis will be presented within the 12 month report.

Confidential enquiries into perinatal deaths have highlighted importance of GROW training for all staff (provided in twice-monthly workshops by PI)

KPI 4a: Smoking in pregnancy

Target: to reduce smoking at delivery to < 15% by 2010 or 1% per year

> 18%	15-18%	< 15%
www.pi.nhs.uk/rpnmlfH_KPI_Evidence_Targets.pdf		

	Smoking at Booking											
	Q1			Q2			Q3			Total / average over period Q1-Q3		
	Cases with required data	n	%	Cases with required data	n	%	Cases with required data	n	%	Cases with required data	n	%
West Midlands	6977	1438	20.6%	11231	2181	19.4%	12008	2302	19.2%	30216	5921	19.6%
PCTs												
Coventry Teaching	20	5	25.0%	52	12	23.1%	434	92	21.2%	506	109	21.5%
Units												
Walsgrave Hospital (UHCW)	0	0		27	5	18.5%	522	106	20.3%	549	111	20.2%

West Midlands

British Europeans	4826	1327	27.5%	8351	2130	25.5%	8533	2105	24.7%	21710	5562	25.6%
Teenagers (< 18 at delivery)	160	73	45.6%	248	248	44.4%	251	99	39.4%	659	282	42.8%
British Teenagers (<18)	136	66	48.5%	220	103	46.8%	216	93	43.1%	572	262	45.8%

	Smoking at Delivery											
	Q1			Q2			Q3			Total / average over period Q1-Q3		
	Cases with required data	n	%	Cases with required data	n	%	Cases with required data	n	%	Cases with required data	n	%
West Midlands	6490	966	14.9%	9944	1456	14.6%	10147	1425	14.0%	26581	3847	14.5%
PCTs												
Coventry Teaching	19	5	26.3%	38	9	23.7%	78	13	16.7%	135	27	20.0%
Units												
Walsgrave Hospital (UHCW)	0	0		14	1	7.1%	62	7	11.3%	76	8	10.5%

West Midlands

British Europeans	4486	907	20.2%	7426	1419	19.1%	7237	1323	18.3%	19149	3649	19.1%
Teenagers (< 18)	139	50	36.0%	213	73	34.3%	213	68	31.9%	565	191	33.8%
British Teenagers (<18)	119	43	36.1%	192	70	36.5%	180	62	34.4%	491	175	35.6%

Percentages in grey represent small numbers (n <100) and should be interpreted with caution

KPI 4a. Smoking Cessation

Cases where both booking and delivery information present				
	Smokers at booking	Smokers at delivery	Cessation rate	
	n	n	n	%
West Midlands	4904	3676	1228	25.0%
PCTs				
Coventry Teaching	27	23	4	14.8%
Units				
Walsgrave Hospital (UHCW)	8	7	1	12.5%
West Midlands				
British Europeans	4619	3511	1108	24.0%
Teenagers (< 18)	233	187	46	19.7%
British Teenagers (<18)	215	173	42	19.5%

Data quality

The information represents individual case-by case data and is therefore considered more accurate than unit estimates.

Wherever possible, the smoking-at-delivery information should be ascertained as part of the maternal history at the time of admission to delivery suite

Performance & Progress

Smoking rates at delivery do not reach target **however numbers are too small to reach reliable conclusions**

Teenagers have higher smoking rates and lower cessation rates than the general maternity population. Because of small numbers, WM figures only are given for this group.

Additional comments

Further analysis of the effect of smoking on perinatal outcome, and its association with prematurity and fetal growth restriction, will be presented in the 12 month report.

NB regionally, referral and cessation rates are higher in units where an OPT-OUT policy is in operation for referral to smoking cessation services

KPI 5: Initiation of breastfeeding within 48hrs

Target: increase by 2% per year

< 1%	1-2%	≥ 2%
------	------	------

www.pi.nhs.uk/rpnm/lfH_KPI_Evidence_Targets.pdf

	KPI 5 - Breast Feeding Initiated within 48hrs											
	Q1			Q2			Q3			Total / average over period		
	Cases with required data	n	%	Cases with required data	n	%	Cases with required data	n	%	Cases with required data	n	%
West Midlands	5671	3279	57.8%	10340	6051	58.5%	10246	5895	57.5%	26257	15225	58.0%
PCTs												
Coventry Teaching	19	11	57.9%	36	24	66.7%	118	69	58.5%	173	104	60.1%
Units												
Walsgrave Hospital (UHCW)	0	0		15	12	80.0%	116	69	59.7%	131	81	61.8%
West Midlands												
Teenagers (< 18)	140	37	26.4%	228	77	33.8%	222	67	30.2%	590	181	30.7%
British-Europeans	4245	2299	54.2%	7747	4319	55.8%	7501	4036	53.8%	19493	10654	54.7%

Percentages in grey represent small numbers (n <100) and should be interpreted with caution

Data quality

Collection of this indicator is difficult because:

1. Reliance on the labour record is insufficient as breastfeeding may not have commenced yet before discharge;
2. The postnatal notes are taken home by the mother and there is often a delay before they are available to the data clerks; or
3. The time of commencement is not recorded. Improved documentation around time of first breastfeed is vitally important.

Performance & Progress

Breastfeeding initiation in Coventry is slightly above the regional average.

Additional comments

Target in terms of yearly increase will be able to be reported on next year, with current year used as a baseline

COVENTRY Cases submitted in Q2 & Q3, 2009/10: n=556

	%		%			%
Multiple pregnancies	2.6%	Maternal age		Place of birth		
			<18 1.5% <20 7.7% 35+ 10.1% 40+ 1.3%		Hospital 97.8% Midwife led unit 0.0% Home 2.2% Born before arrival 0.0%	
Ethnic origin (main groups)		Obesity: BMI		Labour induced		17.3%
British-European	61.5%		>30 18.0% >35 6.7% >40 1.5%	Mode of birth	All parities	Primals
Eastern Europe	4.3%				Normal 67.6%	57.1%
African	7.3%				Ventouse 3.8%	7.4%
African Caribbean	0.6%				Forceps 6.0%	11.3%
Bangladeshi	1.7%				Breech 0.4%	0.4%
Indian	8.8%				C Section 22.2%	23.8%
Pakistani	5.4%					
Other	10.3%	Smoker	at booking 21.2% of these, referred to advisor at delivery 16.2% other smokers in household 31.2%	Caesarean Section		
Country of birth (main groups)		Drug misuse	1.5%		Emergency 12.0%	17.7%
UK	67.4%		of these, referred 20.0%		Urgent 0.0%	0.0%
Poland	3.4%	Asked about domestic abuse	15.6%		Scheduled 0.4%	0.4%
Bangladesh	1.3%	of these, DA disclosed	3.1%		Elective 9.8%	5.6%
India	5.4%				Undocumented 0.0%	0.0%
Pakistan	3.6%	Mental health problems	10.1%	Episiotomy		17.2%
Yemen & Horn of Africa	1.5%	Diabetes	1.5%	Perineum (excl episiotomy)		
Other	17.4%	Heart disease	1.5%		Intact 65.1%	
Interpreter required	11.2%	Pre-existing hypertension	1.8%		Tear -degree: 1st 9.2%	
Father is blood relation		Folic acid taken antenatally	84.8%		2nd 23.9%	
		Pregnancy dated by ultrasound	98.9%		3rd 1.6%	
Average	5.0%	Screening for Down's offered	91.7%		4th 0.0%	
British-European	0.0%				Undocumented 0.0%	
Pakistani	55.2%	Antenatal visits	median 8	Prematurity		
Bangladeshi	25.0%		mean 8.0		<37 weeks 9.5%	
Middle East	33.3%	Antenatal visits - same midwife			<34 weeks 2.9%	
Employed						
full time	35.8%					
part time	17.5%					
looking after home	23.2%					
student	2.5%					
unemployed	19.8%					
other	1.1%					
Housing		Seen for decreased fetal movements	median 5	Apgar at 1 <4		0.7%
			mean 5.2	Apgar at 5 <7		0.4%
owner	34.4%			Put to breast		62.6%
rents	43.9%					
with family/friends	19.1%			Postnatal visits		
other	2.6%	Pregnancy complications:				
No partner	1.2%	Antepartum haemorrhage	2.4%			
		Pregnancy induced hypertension	2.6%		median 3	mean 3.6
		Pre-eclampsia	1.7%			
		HELLP Syndrome	0.0%		median 2	mean 2.1
		Gestational Diabetes	4.1%			

Note: These are preliminary rates of data based on WM maternity dataset collected in PEER (Perinatal Episode Electronic Record). Further analysis will be presented within the 12 month report.